



The Negative Impacts of Climate Change in Sub-Saharan Africa and their Mitigation Measures

Haile Arefayne Shishaye^{1*}

¹Department of Water Resource and Irrigation Engineering, Haramaya University, Ethiopia.

Author's contribution

The sole author designed, analyzed and interpreted and prepared the manuscript.

Article Information

DOI: 10.9734/BJAST/2015/17665

Editor(s):

(1) Hamid El Bilali, Mediterranean Agronomic Institute of Bari (CIHEAM/IAMB), Sustainable Agriculture, Food & Rural Development department, Via Ceglie 9, 70010 Valenzano (Bari), Italy.

Reviewers:

(1) Lupala Zacharia, Sokoine University of Agriculture, Tanzania.
(2) Odafivwotu Ohwo, Niger Delta University, Nigeria.
(3) Antipas T. S. Massawe, University of Dar es Salaam, Tanzania.
Complete Peer review History: <http://sciencedomain.org/review-history/11262>

Mini-review Article

Received 23rd March 2015
Accepted 23rd April 2015
Published 4th September 2015

ABSTRACT

Sub-Saharan Africa is particularly vulnerable to climate change because of its dependence on natural resources, fragile economy, weak infrastructure and the already warm weather. Nowadays, food security and agricultural production in some countries in the region are getting worse because of the negative impacts of climate change and variability. Generally, the effect of climate change is higher in the developing nations, those with low economic capacity and of contributing a little to the greenhouse gas emissions than that of the industrialized countries. However, unless it is the weakness of the policies that the developing countries have, experts have found different climate change mitigation and adaptation measures. Therefore, this paper specifically concentrates on the negative impacts of climate change on the countries in Sub-Saharan Africa, and the mitigation and adaptation measures that should be taken into account to manage the risks of the changing climate. It emphasizes on the importance of effective agricultural management, improving carbon trading and sequestration projects and using renewable energy sources. Furthermore, it also considers the roles of the people and governments of Sub-Saharan countries and the international community in mitigating the changing climate in the region, for Sub-Saharan countries particularly need to work 'hand in glove' with the international community to manage the current climate risks and mitigate the future climate.

*Corresponding author: E-mail: haile.4.hiwot@gmail.com;

Keywords: Climate change; impact; Sub-Saharan Africa; mitigation; effective agricultural management; renewable energy; carbon trading and sequestration.

1. INTRODUCTION

Climate change is a long-term shift in the statistics of the weather, including its averages [1]. Nowadays, it is a global issue. There are different factors causing climate change, which can be distinguished into 'natural' and 'anthropogenic' (human-induced) factors. According to The Fourth Assessment Report of the Intergovernmental Panel on Climate Change (IPCC), it is greater than a 90 percent certainty that emissions of heat-trapping gases from human activities have caused "most of the observed increase in globally averaged temperatures since the mid-20th century [2]. Some of the anthropogenic activities that causes climate change are burning coal, oil and gas (fossil fuels) to generate electricity or drive cars and deforestation [3,4]. On the other hand, some of the natural factors that cause climate change include the energy from the sun, periodic volcanic eruptions of tiny particles, dust, and salt spray (all known as aerosols), and natural carbon and nitrate cycle processes such as termite mounds in Africa that emit methane or tiny organisms in the ocean surface that take up carbon dioxide [3,5,6].

However, irrespective of its sources, climate change will adversely affect the global environment as a whole. Though, the impact and mitigation and adaptation measures of Climate change may vary from place to place based on the economic potential and the levels of vulnerability [7]. This is also true for the countries in Africa. However, the vulnerability and economic capacity of sub-Saharan countries are almost the same [8]. This is because of that one major cause of vulnerability to climate change is dependence on sectors such as agriculture, forestry and fishery that are very sensitive to climate change [9]. Almost all countries in Sub-Saharan Africa have very fragile soil, sensitive ecosystems and weak economic potential, which is agriculture lead economy [10,8]. Thus, even though there are some differences among the Sub-Saharan African countries, the impacts and mitigation measures of climate change may not vary significantly.

Climate change mitigation consists of actions to limit the magnitude and/or rate of long-term climate change. Climate change mitigation generally involves reductions in anthropogenic

emissions of greenhouse gases [2]. Mitigation may also be achieved by increasing the capacity of carbon sinks, e.g., through reforestation [2]. Mitigation policies can substantially reduce the risks associated with human-induced global warming [2,11,12].

The objective of this paper is therefore to clearly show the negative impacts of climate change in Sub-Saharan Africa and to suggest the most appropriate mitigation measures that should be taken into consideration; i.e., the special vulnerability of Sub-Saharan countries to climate change and the mitigation and adaptation measures that should be taken into account to manage the risks of the changing climate.

2. VULNERABILITY OF SUB-SAHARAN COUNTRIES TO CLIMATE CHANGE

As shown in (Fig. 1), the levels of green house gases (GHGs) in the atmosphere have been increasing since the beginning of the industrial revolution and the large scale use of fossil fuels [13,14]. However, as shown in (Figs. 2 and 3), Africa's contribution to the increasing concentrations of greenhouse gases has been relatively minimal compared to the developed regions [15-17,13,18].

Nevertheless, according to [16,19-22,17,7,8,12], Sub-Saharan Africa is the most vulnerable region to climate change. The main reasons for this are: Firstly, Sub-Saharan countries are already warmer compared to other non-tropical countries [23,24,16]. Secondly, most Sub-Saharan African economies are predominantly based on agriculture, which is the most climate sensitive of all the productive sectors [8,16]. Over 60% of the population in sub-Saharan Africa depends on agriculture for their livelihood [25-27]; and agriculture accounted on average for 29% of Gross Domestic Product (GDP) of the region from 1998-2000 [28]. Furthermore, the livelihood of the majority of the population is being threatened by the rapid depletion of natural resources, such as forests [29,30,16]. For instance, the rainforest of the Congo basin is the second largest on the earth, next to the Amazon [31-33]. However, land clearing is being the main problem in the region, for the people depends on it for food, shelter, medicine and agriculture [15].

Currently, a number of Sub-Saharan countries are facing climatic conditions that make

agriculture challenging [11]. In fact, it is not easy to exactly know the rate of warming. What we can easily identify is that the earth is warming, heavy rainfall is becoming more common and dry areas like Sub-Saharan countries are generally becoming drier. The length of growing seasons is likely to reduce in these regions due to the effect of global warming on the earth's climate and at worst may force large regions of marginal agriculture out of production [33,34]. Failure of crop yields in these poor countries will therefore primarily affect the small scale farmers, those who play a considerable role in the economic development. Thus, this will inevitably adversely affect food security in the region.

3. CLIMATE CHANGE MITIGATION AND ADAPTATION MEASURES

Climate change mitigation is an activity which contributes to the objectives of stabilization of greenhouse gas (GHG) concentrations in the atmosphere at a level that would prevent dangerous anthropogenic interference with the climate system. This can be done by promoting efforts to reduce/limit GHG emissions or to enhance GHG sequestration. Protection and

enhancement of sinks and reservoirs of GHGs through sustainable forest management and Methane emission reductions through waste management or sewage treatments are examples of mitigation measures.

Although industrialization is low in sub-Saharan Africa, the polluted environment due to the high carbon dioxide (CO₂) emissions from the industrialized world will affect this extremely impoverished region directly and/or indirectly. The direct effect is when the climate is changed globally the people in the impoverished dry land will suffer more [21]. On the other hand, the indirect effect of climate change is its negative impact on the food supplies that the region can get from the rest of the world, for the change in climate has an effect on the crop yields.

The main greenhouse gases apart from CO₂ are Methane (CH₄) and Nitrous Oxide (N₂O). Methane is produced by anaerobic decay of organic materials in landfills, wetlands, and agricultural areas. It also can be found from animal manure, waste water and fossil fuel combustion.




Fig. 1. The trend of GHG emissions (modified from IPCC 1990c)

Note: Concentrations of carbon dioxide and methane were relatively constant until the 18th century. However, they have shown a sharp increase since the 18th century. The concentrations of nitrous oxide have also increased since the mid-18th century due to human activities. In the last few decades CFCs were not present in the atmosphere before the 1930s. Nonetheless, it has shown a dramatic increase since the 1930s because of the industrialization effects




Fig. 2. CO₂ emissions per capita
(Modified from IPCC 1990c)




Fig. 3. CO₂ emissions per capita by major world regions, tCO₂ per capita, (IEA 2013)
NB: China includes Hong Kong

Nitrous oxide (N₂O) is naturally present in the atmosphere as part of the earth's nitrogen cycle. It has different natural sources. However, human

activities such as agriculture, fossil fuel combustion, and industrial processes are affecting the natural balance of the nitrogen cycle

and increasing atmospheric N₂O. N₂O can warm the atmosphere over 300 times of that of carbon dioxide [35].

Thus, in addition to the GHGs coming from the industrial sectors, gases that could come from ineffectually managed agriculture could also contribute to climate change. Although it is minimal in comparison to what is coming from the developed world, GHGs that emanate from an inadequately managed agriculture within the region by itself can also contribute to climate change.

Therefore, these changes in climate may influence the Sub-Saharan countries to suffer from shortage of pure water, food and other related basic necessities. And this situation can lead to violent conflicts. In general, climate change will add another crisis on top of the current problems in the region. However, climate change can be mitigated in the region by fulfilling the following mitigation measures.

3.1 Identifying the Roles of People and Governments of Sub-Saharan Countries and the International Community

To mitigate climate change in sub-Saharan Africa, both the people and governments of the region and the international community should play significant roles. Although it sometimes depends on the government policies and strategies, people, especially farmers, should participate in biodiversity conservation processes [8,36-38]. Additionally, the governments in the region should take the responsibility to develop an action plan and policies regarding environmental management. In fact, there are hopeful starts in countries like Ethiopia, Ghana, Tanzania and some other countries in sub-Saharan Africa [39,40]. These countries have started to design policies involving citizens in national issues. In addition, they also have opened the doors of development by introducing the small farm holders with traders and supplying improved fertilizers to farmers. However, free and conducive government policy, which encourages the small holders and provides land ownership rights to the farmers, is needed in all countries in the region, for it is considerably important to enhance food security and mitigate climate change [8].

The poor countries should work hand in glove with the international community to mitigate the

changing climate [41,7]. Furthermore, the largest financial responsibility for climate change mitigation should be covered by the rich countries [42,15]. Therefore, developing countries, which have the least contributions to greenhouse gas emissions, and may possibly suffer most from the impact, should pay fewer prices to mitigate climate change [15,7].

3.2 Effective Agricultural Management

According to different researchers in the environmental science and related fields of studies, there are different proposed solutions to mitigate climate change. One of the proposed solutions for climate change mitigation in sub-Saharan Africa is effective agricultural management [43].

Agriculture is the source of livelihood and sustenance for the majority of the Earth's poor and an engine of economic growth in most of the developing world like sub-Saharan countries. However, nowadays, climate risks are being the main challenges for agricultural productions. And it is a special menace for those whose livelihoods depend precariously on rainfed agriculture in marginal, high-risk environments. Therefore, advancing and protecting food security and rural prosperity through effective agricultural management could fairly help to mitigate climate change in sub-Saharan countries. Some of the effective agricultural management techniques are discussed below.

3.2.1 Balanced nitrogen fertilizer application

Improving nitrogen fertilizer application and management contributes to a sustainable and ecologically sound agriculture. In contrast, the unbalanced application and poor management of nitrogen fertilizers is a potential source of environmental pollution. Therefore, a balanced nitrogen fertilizer application is one of the main strategies to reduce the load of nitrous oxide to the atmosphere.

3.2.2 Crop rotation and sequencing

It is possible to reduce the loss of nitrous oxide to the atmosphere by rotating high nitrogen demanding crops with those requiring less nitrogen. This process may result in less nitrogen accumulation in the soil profile and less denitrification. Other possibilities include double cropping or intercropping processes. Therefore, these processes help not only in decreasing the

load of nitrous oxide to the atmosphere but also in improving food security.

3.2.3 Effective genetic modification and adaptation of crops

Effective genetic modification and adaptation of crops is also another basic measure, for it has multi-purposes in addition to climate change mitigation and adaptation. For instance, the types of crops in the most desert parts of Africa need to be drought resistant; otherwise, the productivity of the land will become less because of the lack of water. Therefore, genetic modification may enhance the Agricultural productivity and food security in sub-Saharan Africa. The genetically modified sorghum by “the sorghum master, Professor Gabisa Ejeta”, who won the world food prize in 2009, is the best example. It has increased the agricultural productivity in the Sub-Saharan countries that have been using it since 2009. And it also has a valuable contribution towards climate change mitigation.

3.2.4 Improving the traditional rainfed farming to drip irrigation system

Improving the traditional rainfed farming to drip irrigation system is helpful especially for efficient use of water in an area where drought and lack of water are the main problems [44,45]. The real benefits of drip irrigation include reduced runoff loss and decreased water, labor, equipment and energy costs. This may boost the agricultural productivity and food security of the people in Sub-Saharan Africa. Moreover, efficient use of water due to drip irrigation system may also help to create an aerobic condition on the soil profile. As a result, it decreases the amount of nitrogen to be denitrified. Then, less amount of denitrification will result a less amount of nitrous oxide loss to the atmosphere.

3.2.5 Spate irrigation system

High dependence on variable rainfall and exposure to unmitigated climate risk are common features in the marginal, rainfed regions of the tropics and sub-tropics. Climate shocks, such as drought, flooding and heat waves lead to loss of life and long-term loss of livelihood through loss of productive assets, impaired health and destroyed infrastructure.

The continued trend of frequent and intense droughts and variations in rainfall due to climate change is then affecting most of the traditional

agricultural practices in sub-Saharan Africa. The rate of groundwater depletion, Violent stresses of cyclones, prolonged floods, and saltwater intrusion are increasing. The average temperature has increased in the summer while winter season has shortened. Therefore, to manage the problems in sub-Saharan Africa, one of the primary actions should be introducing a modernized spate irrigation system to the region. This is because ensuring soil fertility and rangeland management and improving agriculture and rural welfare using spate irrigation system provides multiple benefits across the agro-ecological zones of the region.

In fact, irrigation and soil and water conservation are essential in the arid and semi-arid zones. However, the conventional types of irrigation systems may not work in some parts of the region especially where the groundwater table is much deeper. Therefore, the effective type of irrigation system in arid and semi-arid areas is spate irrigation system. This is because spate irrigation is a form of water management whereby occasional floods are diverted to irrigate farms, rangelands and forests. So, in this system of irrigation, farmers can inundate their farmland by the flood which comes from upstream. Thus, without the help of groundwater, they can grow crops by conserving the water in the soil and supplying additional water from the ponds when the moisture within the root zone decreases.

The structures constructed in spate irrigation system including the pond, which is used to store the excess flood during heavy rainfall, makes the system preferable in arid and semi-arid areas. Therefore, by increasing the moisture in the soil, recharging groundwater, improving rangeland management, conserving soil and water and enhancing food securities, spate irrigation systems have livelihood and environmental benefits.

3.3 Using Renewable Energy Resources

The use of renewable energy has an important role in climate change mitigation and adaptation processes. Developing countries have to use small-scale solar, wind, and geothermal devices to provide energy to urban and rural populations. These types of energy productions are especially useful in remote locations because of the excessive cost of transporting electricity from large-scale power plants. Besides, most of the time, the source of energy in remote areas of each country in sub-Saharan Africa is wood.

Thus, the development of renewable energy in these areas may help to prevent deforestation and decrease environmental pollution.

3.4 Carbon Trading and Sequestration Projects

Another valuable solution for sub-Saharan Africa to deal with climate change is improving the carbon trading and sequestration projects [21]. Firstly, the governments in the region should have well designed policies on terrestrial, oceanic, and geological carbon sequestration projects. Terrestrial carbon sequestration is the process through which CO₂ is absorbed naturally through photosynthesis and stored as carbon in biomass and soils. Some of the ways to reduce greenhouse gases using the terrestrial carbon sequestration are:

- avoiding emissions by maintaining existing carbon storage in trees and soils.
- increasing carbon storage by tree planting or conversion from conventional to conservation tillage practices in agricultural lands.

Carbon accumulation eventually reaches saturation point where additional sequestration is no longer possible. After saturation, the trees or agricultural practices still need to be sustained to maintain the accumulated carbon and prevent subsequent losses of carbon back to the atmosphere. Therefore, to do so, strong policies and strategies on biodiversity conservation need to be designed. Moreover, Storing CO₂ underground in rock formations (geologic sequestration) and the oceanic sequestration are also able to retain large amounts of CO₂ over a long time period.

Furthermore, the countries in sub-Saharan Africa should work cooperatively with the developed countries in carbon trading projects. Additionally, the developed countries should share the emission credits and provide allowances in compensation to Sub-Saharan countries.

4. CONCLUSION

In conclusion, even though there are hopeful starts in some Sub-Saharan countries, the region as a whole needs effective leadership and management policies in order to enhance food security and mitigate climate change. Additionally, the collaborated work between the developed world and sub-Saharan countries is

very important for the effective management of the current climate risks and future climate mitigation.

COMPETING INTERESTS

Author has declared that no competing interests exist.

REFERENCES

1. NOAA National Weather Service. Climate Change. NOAA; 2007. Available:<http://www.nws.noaa.gov/om/brochures/climate/Climatechange.pdf>. (Accessed on 06 of March 2015)
2. IPCC. Climate change, the physical science basis, contribution of working group I to the fourth assessment report of the intergovernmental panel on climate change [Solomon S, Qin D, Manning M, Chen Z, Marquis M, Averyt KB, Tignor M, Miller HL, (eds.)]. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA; 2007.
3. Forster P, Ramaswamy V, Artaxo P, et al. changes in atmospheric constituents and in radiative forcing, in climate change 2007, the physical science basis, contribution of working group i to the fourth assessment report of the intergovernmental panel on climate change [Solomon S, Qin D, Manning M, Chen Z, Marquis M, Averyt KB, Tignor M, Miller HL, (eds.)]. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA; 2007.
4. Bowen GJ, West JB, Vaughn BH, Dawson TE, Ehleringer JR, Fogel ML, Hobson K, Hoogewerff J, Kendall C, Lai CT, Miller CC, Noone D, Schwarcz H, Still CJ. Isoscapes to address large-scale earth science challenges. EOS, Transactions, American Geophysical Union. 2009;90: 109-116.
5. Alley RB, Berntsen T, Bindoff NL, et al. Summary for Policy makers in: climate change 2007, the physical science basis, contribution of working group i to the fourth assessment report of the intergovernmental panel on climate change [Solomon S, Qin D, Manning M, Chen Z, Marquis M, Averyt KB, Tignor M, Miller HL, (eds.)]. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA; 2007.

6. Hansen J, Nazarenko L, Ruedy R, Sato M, Willis J, Del Genio A, Koch D, Lacis A, Lo K, Menon S, Novakov T, Perlwitz J, Russell G, Schmidt GA, Tausnev N. Earth's energy imbalance: Confirmation and implications. *Science*. 2005;30:1431-1435.
7. IPCC 1990a. Climate change, the IPCC first assessment report (working group-1). United Nations Environment Program. Cambridge University press, Cambridge; 1990.
8. Nkonya E, Place F, Pender J, Mwanjololo M, Okhimamhe A, Kato E, Crespo S, Ndjunga J, Traore S. Climate risk management through sustainable land management in Sub-Saharan Africa. International Food Policy Research Institute, Sustainable solutions for Ending Hunger and Poverty. 2011;1-30.
9. Sperling F. Poverty and climate change: Reducing the vulnerability of the poor. The World Bank, Washington DC, USA. 2003; 43.
10. Adejuwon J. Food security, climate variability, and climate change in Sub-Saharan West Africa. The International START Secretariat, Washington DC, USA; 2006.
11. Anne W. Using sustainable land management practices to adapt to and mitigate climate change in sub-Saharan Africa. *Terr Africa Regional Sustainable Land Management*. 2009;14.
12. IPCC. Impacts, adaptations, and mitigation of climate change: Scientific-technical analysis, contributions of working group II to the second assessment report of the intergovernmental panel on climate change. Cambridge University Press, Cambridge, UK; 1995.
13. IPCC 1990c. Climate change, the IPCC first assessment report (working group-III). United Nations Environment Program, Cambridge University press, Cambridge. 1990;114.
14. Olivier J, Janssens-Maenhout G, Peters J. Trends in global CO₂ emissions report. European Commission, PLB Netherlands Environmental Assessment Agency; 2012.
15. DFID, climate change in Sub-Saharan Africa; 2009.
Available:www.dfid.gov.uk (Accessed on 20 September 2012)
16. Boko M, Niang I, Nyong A, Vogel C, Githeko A, Medany M, Osman-Elasha B, Tabo R, Yanda P. Climate change, impacts, adaptation and vulnerability, contribution of working group ii to the fourth assessment report of the intergovernmental panel on climate change. Cambridge University Press, Cambridge UK. 2007;433-467.
17. MacKinnon C, Sobrevilla C, Hickey V. Biodiversity, climate change and adaptation. World Bank, Washington. 2008;1-112.
18. International Energy Agency (IEA). CO₂ emissions from fuel combustion highlights. IEA, 2013 editions, 75739 Paris Cedex 15, France. 2013;14.
19. Glantz M. Climate change and Sub-Saharan Africa. 2005;8.
20. A hostile climate; 2006.
Available:http://www.seedmagazine.com/news/2006/08/a_hostile_climate.php?page=all&p=y (Accessed in August 1, 2006)
21. Drying up and flooding out, *Economist*. 2007;43-44.
22. Mwinjaka O, Gupta J, Bresser T. Adaptation strategies of the poorest farmers in drought prone Gujarat. 2010; 346-363.
Available:<http://www.earthscan.co.uk/journals/cdev> (Accessed on 28 October 2009)
23. Christensen JH, Hewitson B, Busuioac A, Chen A, Gao X, Held I, Jones R. Regional climate projections. In climate change 2007: The physical science basis, contribution of working group i to the fourth assessment report of the intergovernmental panel on climate change. Edited by Solomon S, Qin D, Manning M, Chen Z, Marquis M, Averyt KB, Tignor M, Miller HL. Cambridge University Press, Cambridge, UK. 2007;847-940.
24. Cline W. Country-level climate projections, global warming and agriculture: Impact estimates by country. Washington, DC: Peterson Institute; 2007.
25. Mendelsohn R, Morrison W, Schlesinger ME, Andronova NG. Country-specific market impacts from climate change. *Climatic Change*. 2000;45:553-569.
26. Mendelsohn R, Dinar A, Dalfelt A. Climate change impacts on African agriculture. Preliminary analysis prepared for the World Bank, Washington, District of Columbia. 2000(b);25.
27. Devereux S, Maxwell S. Food security in Sub-Saharan Africa. ITDG Publishing, Pietermaritzburg. 2001;361.

28. International Assessment of Agricultural Knowledge Science and Technology for Development (IAASTD). Sub-Saharan Africa (SSA) report, Washington, DC, USA; 2009.
29. UNEP/GRID-Arendal. Vital climate graphics. United Nations Environment Programme, GRID-Arendal. 2002;65. Available:<http://grida.no/climate/vital/index.htm>
30. Thomas CD, Cameron A, Green RE, Bakkenes M, Beaumont LJ, Collingham YC, Erasmus BFN, Siqueira MF. Extinction from climate change. *Nature*. 2004;427: 145-148.
31. SCBD and COMIFAC. Biodiversity and forest management in the Congo Basin. Convention on Biological Diversity, Montreal; 2009.
32. Somorin O, Brown H, Visseren-Hamakers I, Sonwa D, Arts B, Nkem J. The Congo Basin forests in a changing climate: Policy discourses on adaptation and mitigation. Elsevier, *Global Environ. Change*; 2011. DOI:10.1016/j.gloenvcha.2011.08.001.
33. Thornton P. Mapping climate vulnerability and poverty in Africa. International Livestock Research Institute (ILRI), Nairobi, Kenya; 2006.
34. IPCC (2007b) climate change. Impacts, adaptation and vulnerability, contribution of working group ii to the fourth assessment report of the IPCC; 2007. Available:<<http://www.ipcc.ch/ipccreports/ar4-wg2.htm>> (Accessed on 20 January 2010).
35. EPA. Overview of green house gases. U.S. Environmental Protection Agency, Washington, DC, USA; 2014. Available:<http://www.epa.gov/climatechange/ghgemissions/gases/n2o.html#ref1>
36. Smith P, Martino D, Cai Z, et al. Greenhouse gas mitigation in agriculture. *Philosophical Transactions of the Royal Society*. 2008;363:789-813.
37. Cooper PJ, Rao KPC, Singh P, Dimes J, Traore PS, Rao K, Dixit P, Twomlow SJ. Farming with current and future climate risk: advancing a 'hypothesis of hope' for rainfed agriculture in the semi-arid tropics. *Journal of SAT Agricultural Research*. 2009;7:1–19.
38. Cooper PJM, Coe R. Assessing and addressing climate-induced risk in Sub-Saharan rainfed agriculture foreword to a special issue of experimental agriculture. *Experimental Agriculture*. 2011;47(2):179–184.
39. Barack H Obama. Speech on advancing food and nutrition security, G8 summit video recording, Chicago; 2012. Available:<https://www.youtube.com/watch?v=YaxFRrAa-Y>
40. Yesuf M, Di Falco S, Deressa T, Ringler C, Kohlin G. The impact of climate change and adaptation on food production in low-income countries: Evidence from the Nile Basin, Ethiopia. IFPRI Discussion Paper 828. Washington, DC: International Food Policy Research Institute (IFPRI); 2008.
41. Climate change: Meeting the challenge to 2050. Organization for Economic Cooperation and Development. 2008;1-8.
42. Prowse M, Peskett L. Mitigating climate change: What impact on the poor? 2008; 97-98.
43. Bryan E, Ringler C, Okoba B, Koo J, Herrero M, Silvestri S. Agricultural management for climate change adaptation, greenhouse gas mitigation, and agricultural productivity. International Food Policy Research Institute. 2011;10-40.
44. Eriksen S, Brown K. Sustainable adaptation to climate change. 2011;3-6. Available:<<http://www.earthscan.co.uk/journals/cdev>> (Accessed on 12 June 2008).
45. Sharma A. Grand plans, poor delivery. 2010;1-4. Available:<http://www.earthscan.co.uk/journals/cdev> (Accessed on 23 September 2012)

© 2015 Shishaye; This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Peer-review history:
The peer review history for this paper can be accessed here:
<http://sciencedomain.org/review-history/11262>